




# ANSWERS

## EXERCISE 1.1

1. (i) 2      (ii)  $\frac{-11}{28}$
2. (i)  $\frac{-2}{8}$       (ii)  $\frac{5}{9}$       (iii)  $\frac{-6}{5}$       (iv)  $\frac{2}{9}$       (v)  $\frac{19}{6}$
4. (i)  $\frac{-1}{13}$       (ii)  $\frac{-19}{13}$       (iii) 5      (iv)  $\frac{56}{15}$       (v)  $\frac{5}{2}$       (vi) -1
5. (i) 1 is the multiplicative identity      (ii) Commutativity  
 (iii) Multiplicative inverse
6.  $\frac{-96}{91}$       7. Associativity      8. No, because the product is not 1.
9. Yes, because  $0.3 \times 3\frac{1}{3} = \frac{3}{10} \times \frac{10}{3} = 1$
10. (i) 0      (ii) 1 and (-1)      (iii) 0
11. (i) No      (ii) 1, -1      (iii)  $\frac{-1}{5}$       (iv)  $x$       (v) Rational number  
 (vi) positive

## EXERCISE 1.2

1. (i)       (ii) 
2. 
3. Some of these are  $1, \frac{1}{2}, 0, -1, \frac{-1}{2}$
4.  $\frac{-7}{20}, \frac{-6}{20}, \frac{-5}{20}, \frac{-4}{20}, \frac{-3}{20}, \frac{-2}{20}, \frac{-1}{20}, 0, \dots, \frac{1}{20}, \frac{2}{20}$  (There can be many more such rational numbers)
5. (i)  $\frac{41}{60}, \frac{42}{60}, \frac{43}{60}, \frac{44}{60}, \frac{45}{60}$       (ii)  $\frac{-8}{6}, \frac{-7}{6}, 0, \frac{1}{6}, \frac{2}{6}$       (iii)  $\frac{9}{32}, \frac{10}{32}, \frac{11}{32}, \frac{12}{32}, \frac{13}{32}$   
 (There can be many more such rational numbers)

6.  $-\frac{3}{2}, -1, \frac{-1}{2}, 0, \frac{1}{2}$  (There can be many more such rational numbers)

7.  $\frac{97}{160}, \frac{98}{160}, \frac{99}{160}, \frac{100}{160}, \frac{101}{160}, \frac{102}{160}, \frac{103}{160}, \frac{104}{160}, \frac{105}{160}, \frac{106}{160}$   
(There can be many more such rational numbers)

### EXERCISE 2.1

1.  $x = 9$       2.  $y = 7$       3.  $z = 4$       4.  $x = 2$       5.  $x = 2$       6.  $t = 50$   
7.  $x = 27$       8.  $y = 2.4$       9.  $x = \frac{25}{7}$       10.  $y = \frac{3}{2}$       11.  $p = -\frac{4}{3}$       12.  $x = -\frac{8}{5}$

### EXERCISE 2.2

1.  $\frac{3}{4}$       2. length = 52 m, breadth = 25 m      3.  $1\frac{2}{5}$  cm      4. 40 and 55  
5. 45, 27      6. 16, 17, 18      7. 288, 296 and 304      8. 7, 8, 9  
9. Rahul's age: 20 years; Haroon's age: 28 years      10. 48 students  
11. Baichung's age: 17 years; Baichung's father's age: 46 years;  
Baichung's grandfather's age = 72 years      12. 5 years      13.  $-\frac{1}{2}$   
14. Rs 100 → 2000 notes; Rs 50 → 3000 notes; Rs 10 → 5000 notes  
15. Number of Re 1 coins = 80; Number of Rs 2 coins = 60; Number of Rs 5 coins = 20  
16. 19

### EXERCISE 2.3

1.  $x = 18$       2.  $t = -1$       3.  $x = -2$       4.  $z = \frac{3}{2}$       5.  $x = 5$       6.  $x = 0$   
7.  $x = 40$       8.  $x = 10$       9.  $y = \frac{7}{3}$       10.  $m = \frac{4}{5}$

### EXERCISE 2.4

1. 4      2. 7, 35      3. 36      4. 26 (or 62)  
5. Shobo's age: 5 years; Shobo's mother's age: 30 years  
6. Length = 275 m; breadth = 100 m      7. 200 m      8. 72  
9. Grand daughter's age: 6 years; Grandfather's age: 60 years  
10. Aman's age: 60 years; Aman's son's age: 20 years

**EXERCISE 2.5**

1.  $x = \frac{27}{10}$     2.  $n = 36$     3.  $x = -5$     4.  $x = 8$     5.  $t = 2$   
 6.  $m = \frac{7}{5}$     7.  $t = -2$     8.  $y = \frac{2}{3}$     9.  $z = 2$     10.  $f = 0.6$

**EXERCISE 2.6**

1.  $x = \frac{3}{2}$     2.  $x = \frac{35}{33}$     3.  $z = 12$     4.  $y = -8$     5.  $y = -\frac{4}{5}$   
 6. Hari's age = 20 years; Harry's age = 28 years    7.  $\frac{13}{21}$

**EXERCISE 3.1**

1. (a) 1, 2, 5, 6, 7    (b) 1, 2, 5, 6, 7    (c) 1, 2, 4  
 (d) 2    (e) 1, 4  
 2. (a) 2    (b) 9    (c) 0    3.  $360^\circ$ ; yes.  
 4. (a)  $900^\circ$     (b)  $1080^\circ$     (c)  $1440^\circ$     (d)  $(n-2)180^\circ$   
 5. A polygon with equal sides and equal angles.  
 (i) Equilateral triangle    (ii) Square    (iii) Regular hexagon  
 6. (a)  $60^\circ$     (b)  $140^\circ$     (c)  $140^\circ$     (d)  $108^\circ$   
 7. (a)  $x + y + z = 360^\circ$     (b)  $x + y + z + w = 360^\circ$

**EXERCISE 3.2**

1. (a)  $360^\circ - 250^\circ = 110^\circ$     (b)  $360^\circ - 310^\circ = 50^\circ$   
 2. (i)  $\frac{360^\circ}{9} = 40^\circ$     (ii)  $\frac{360^\circ}{15} = 24^\circ$   
 3.  $\frac{360}{24} = 15$  (sides)    4. Number of sides = 24  
 5. (i) No; (Since 22 is not a divisor of 360)  
 (ii) No; (because each exterior angle is  $180^\circ - 22^\circ = 158^\circ$ , which is not a divisor of  $360^\circ$ ).  
 6. (a) The equilateral triangle being a regular polygon of 3 sides has the least measure of an interior angle =  $60^\circ$ .  
 (b) By (a), we can see that the greatest exterior angle is  $120^\circ$ .

**EXERCISE 3.3**

1. (i) BC (Opposite sides are equal)    (ii)  $\angle DAB$  (Opposite angles are equal)

- (iii) OA (Diagonals bisect each other)  
 (iv)  $180^\circ$  (Interior opposite angles, since  $\overline{AB} \parallel \overline{DC}$ )
2. (i)  $x = 80^\circ; y = 100^\circ; z = 80^\circ$  (ii)  $x = 130^\circ; y = 130^\circ; z = 130^\circ$   
 (iii)  $x = 90^\circ; y = 60^\circ; z = 60^\circ$  (iv)  $x = 100^\circ; y = 80^\circ; z = 80^\circ$   
 (v)  $y = 112^\circ; x = 28^\circ; z = 28^\circ$
3. (i) Can be, but need not be.  
 (ii) No; (in a parallelogram, opposite sides are equal; but here,  $AD \neq BC$ ).  
 (iii) No; (in a parallelogram, opposite angles are equal; but here,  $\angle A \neq \angle C$ ).
4. A kite, for example      5.  $108^\circ; 72^\circ$ ;      6. Each is a right angle.  
 7.  $x = 110^\circ; y = 40^\circ; z = 30^\circ$   
 8. (i)  $x = 6; y = 9$  (ii)  $x = 3; y = 13$ ;      9.  $x = 50^\circ$
10.  $\overline{NM} \parallel \overline{KL}$  (sum of interior opposite angles is  $180^\circ$ ). So, KLMN is a trapezium.  
 11.  $60^\circ$       12.  $\angle P = 50^\circ; \angle S = 90^\circ$

### EXERCISE 3.4

1. (b), (c), (f), (g), (h) are true; others are false.  
 2. (a) Rhombus; square.      (b) Square; rectangle  
 3. (i) A square is 4 – sided; so it is a quadrilateral.  
 (ii) A square has its opposite sides parallel; so it is a parallelogram.  
 (iii) A square is a parallelogram with all the 4 sides equal; so it is a rhombus.  
 (iv) A square is a parallelogram with each angle a right angle; so it is a rectangle.  
 4. (i) Parallelogram; rhombus; square; rectangle.  
 (ii) Rhombus; square      (iii) Square; rectangle  
 5. Both of its diagonals lie in its interior.  
 6.  $\overline{AD} \parallel \overline{BC}; \overline{AB} \parallel \overline{DC}$ . So, in parallelogram ABCD, the mid-point of diagonal  $\overline{AC}$  is O.

### EXERCISE 5.1

1. (b), (d). In all these cases data can be divided into class intervals.

2.


| Shopper | Tally marks | Number |
|---------|-------------|--------|
| W       |             | 28     |
| M       |             | 15     |
| B       |             | 5      |
| G       |             | 12     |

3.

| Interval  | Tally marks  | Frequency |
|-----------|--------------|-----------|
| 800 - 810 |              | 3         |
| 810 - 820 |              | 2         |
| 820 - 830 |              | 1         |
| 830 - 840 | ⌈            | 9         |
| 840 - 850 | ⌈            | 5         |
| 850 - 860 |              | 1         |
| 860 - 870 |              | 3         |
| 870 - 880 |              | 1         |
| 880 - 890 |              | 1         |
| 890 - 900 |              | 4         |
|           | <b>Total</b> | <b>30</b> |

4. (i) 830 - 840 (ii) 10  
(iii) 20

5. (i) 4 - 5 hours (ii) 34  
(iii) 14





## EXERCISE 5.2

1. (i) 200 (ii) Lightmusic (iii) Classical - 100, Semi classical - 200, Light - 400, Folk - 300

2. (i) Winter (ii) Winter - 150°, Rainy - 120°, Summer - 90°


(iii)

3.



4. (i) Hindi (ii) 30 marks (iii) Yes

5.



### EXERCISE 5.3

- Outcomes  $\rightarrow$  A, B, C, D
  - HT, HH, TH, TT (Here HT means Head on first coin and Tail on the second coin and so on).
- Outcomes of an event of getting
  - (a) 2, 3, 5 (b) 1, 4, 6
  - (a) 6 (b) 1, 2, 3, 4, 5
- $\frac{1}{5}$  (b)  $\frac{1}{13}$  (c)  $\frac{4}{7}$
- $\frac{1}{10}$  (ii)  $\frac{1}{2}$  (iii)  $\frac{2}{5}$  (iv)  $\frac{9}{10}$
- Probability of getting a green sector =  $\frac{3}{5}$ ; probability of getting a non-blue sector =  $\frac{4}{5}$
- Probability of getting a prime number =  $\frac{1}{2}$ ; probability of getting a number which is not prime =  $\frac{1}{2}$   
 Probability of getting a number greater than 5 =  $\frac{1}{6}$   
 Probability of getting a number not greater than 5 =  $\frac{5}{6}$

### EXERCISE 6.1

- 1 (ii) 4 (iii) 1 (iv) 9 (v) 6 (vi) 9
  - (vii) 4 (viii) 0 (ix) 6 (x) 5
- These numbers end with
  - 7 (ii) 3 (iii) 8 (iv) 2 (v) 0 (vi) 2
  - (vii) 0 (viii) 0
- (i), (iii)                      4. 10000200001, 100000020000001
- 1020304030201, 101010101<sup>2</sup>                      6. 20, 6, 42, 43
- 25 (ii) 100 (iii) 144
- $1 + 3 + 5 + 7 + 9 + 11 + 13$
  - $1 + 3 + 5 + 7 + 9 + 11 + 13 + 15 + 17 + 19 + 21$
- 24 (ii) 50 (iii) 198

**EXERCISE 6.2**

1. (i) 1024 (ii) 1225 (iii) 7396 (iv) 8649 (v) 5041 (vi) 2116  
 2. (i) 6,8,10 (ii) 14,48,50 (iii) 16,63,65 (iv) 18,80,82

**EXERCISE 6.3**

1. (i) 1, 9 (ii) 4, 6 (iii) 1, 9 (iv) 5  
 2. (i), (ii), (iii) 3. 10, 13  
 4. (i) 27 (ii) 20 (iii) 42 (iv) 64 (v) 88 (vi) 98  
 (vii) 77 (viii) 96 (ix) 23 (x) 90  
 5. (i) 7; 42 (ii) 5; 30 (iii) 7, 84 (iv) 3; 78 (v) 2; 54 (vi) 3; 48  
 6. (i) 7; 6 (ii) 13; 15 (iii) 11; 6 (vi) 5; 23 (v) 7; 20 (vi) 5; 18  
 7. 49 8. 45 rows; 45 plants in each row 9. 900 10. 3600

**EXERCISE 6.4**

1. (i) 48 (ii) 67 (iii) 59 (iv) 23 (v) 57 (vi) 37  
 (vii) 76 (viii) 89 (ix) 24 (x) 32 (xi) 56 (xii) 30  
 2. (i) 1 (ii) 2 (iii) 2 (iv) 3 (v) 3  
 3. (i) 1.6 (ii) 2.7 (iii) 7.2 (iv) 6.5 (v) 5.6  
 4. (i) 2; 20 (ii) 53; 44 (iii) 1; 57 (iv) 41; 28 (v) 31; 63  
 5. (i) 4; 23 (ii) 14; 42 (iii) 4; 16 (iv) 24; 43 (v) 149; 81  
 6. 21 m 7. (a) 10 cm (b) 12 cm  
 8. 24 plants 9. 16 children

**EXERCISE 7.1**

1. (ii) and (iv)  
 2. (i) 3 (ii) 2 (iii) 3 (iv) 5 (v) 10  
 3. (i) 3 (ii) 2 (iii) 5 (iv) 3 (v) 11  
 4. 20 cuboids

**EXERCISE 7.2**

1. (i) 4 (ii) 8 (iii) 22 (iv) 30 (v) 25 (vi) 24  
 (vii) 48 (viii) 36 (ix) 56  
 2. (i) False (ii) True (iii) False (iv) False (v) False (vi) False  
 (vii) True  
 3. 11, 17, 23, 32

**EXERCISE 8.1**

1. (a) 1 : 2 (b) 1 : 2000 (c) 1 : 10  
 2. (a) 75% (b)  $66\frac{2}{3}\%$  3. 28% students 4. 25 matches 5. Rs 2400  
 6. 10%, cricket → 30 lakh; football → 15 lakh; other games → 5 lakh

**EXERCISE 8.2**

1. Rs 1,40,000 2. 80% 3. Rs 34.80 4. Rs 18,342.50  
 5. Gain of 2% 6. Rs 2,835 7. Loss of Rs 1,269.84  
 8. Rs 14,560 9. Rs 2,000 10. Rs 5,000

**EXERCISE 8.3**

1. (a) Amount = Rs 15,377.34; Compound interest = Rs 4,577.34  
 (b) Amount = Rs 22,869; Interest = Rs 4869 (c) Amount = Rs 70,304, Interest = Rs 7,804  
 (d) Amount = Rs 8,736.20, Interest = Rs 736.20  
 (e) Amount = Rs 10,816, Interest = Rs 816  
 2. Rs 36,659.70 3. Fabina pays Rs 362.50 more 4. Rs 43.20  
 5. (ii) Rs 63,600 (ii) Rs 67,416 6. (ii) Rs 92,400 (ii) Rs 92,610  
 7. (i) Rs 8,820 (ii) Rs 441  
 8. Amount = Rs 11,576.25, Interest = Rs 1,576.25 Yes.  
 9. Rs 4,913 10. (i) About 48,980 (ii) 59,535 11. 5,31,616 (approx)  
 12. Rs 38,640

**EXERCISE 9.1**

1.

|       | Term                                | Coefficient  |
|-------|-------------------------------------|--------------|
| (i)   | $5xyz^2$<br>$-3zy$                  | 5<br>-3      |
| (ii)  | 1<br>$x$<br>$x^2$                   | 1<br>1<br>1  |
| (iii) | $4x^2y^2$<br>$-4x^2y^2z^2$<br>$z^2$ | 4<br>-4<br>1 |

|      |   |                                      |
|------|---|--------------------------------------|
| (iv) | 3<br>$-pq$<br>$qr$<br>$-rp$             | 3<br>-1<br>1<br>-1                   |
| (v)  | $\frac{x}{2}$<br>$\frac{y}{2}$<br>$-xy$ | $\frac{1}{2}$<br>$\frac{1}{2}$<br>-1 |
| (vi) | $0.3a$<br>$-0.6ab$<br>$0.5b$            | 0.3<br>-0.6<br>0.5                   |



2. Monomials:  $1000, pqr$

Binomials:  $x + y, 2y - 3y^2, 4z - 15z^2, p^2q + pq^2, 2p + 2q$

Trinomials:  $7 + y + 5x, 2y - 3y^2 + 4y^3, 5x - 4y + 3xy$

Polynomials that do not fit in these categories:  $x + x^2 + x^3 + x^4, ab + bc + cd + da$

3. (i) 0      (ii)  $ab + bc + ac$       (iii)  $-p^2q^2 + 4pq + 9$   
 (iv)  $2(l^2 + m^2 + n^2 + lm + mn + nl)$
4. (a)  $8a - 2ab + 2b - 15$       (b)  $2xy - 7yz + 5zx + 10xyz$   
 (c)  $p^2q - 7pq^2 + 8pq - 18q + 5p + 28$

## EXERCISE 9.2

1. (i)  $28p$       (ii)  $-28p^2$       (iii)  $-28p^2q$       (iv)  $-12p^4$       (v) 0
2.  $pq; 50mn; 100x^2y^2; 12x^3; 12mn^2p$
- 3.

| First monomial →<br>Second monomial ↓ | $2x$        | $-5y$       | $3x^2$      | $-4xy$     | $7x^2y$     | $-9x^2y^2$  |
|---------------------------------------|-------------|-------------|-------------|------------|-------------|-------------|
| $2x$                                  | $4x^2$      | $-10xy$     | $6x^3$      | $-8x^2y$   | $14x^3y$    | $-18x^3y^2$ |
| $-5y$                                 | $-10xy$     | $25y^2$     | $-15x^2y$   | $20xy^2$   | $-35x^2y^2$ | $45x^2y^3$  |
| $3x^2$                                | $6x^3$      | $-15x^2y$   | $9x^4$      | $-12x^3y$  | $21x^4y$    | $-27x^4y^2$ |
| $-4xy$                                | $-8x^2y$    | $20xy^2$    | $-12x^3y$   | $16x^2y^2$ | $-28x^3y^2$ | $36x^3y^3$  |
| $7x^2y$                               | $14x^3y$    | $-35x^2y^2$ | $21x^4y$    | $-28x^3y$  | $49x^4y^2$  | $-63x^4y^3$ |
| $-9x^2y^2$                            | $-18x^3y^2$ | $45x^2y^3$  | $-27x^4y^2$ | $36x^3y^2$ | $-63x^4y^3$ | $81x^4y^4$  |

4. (i)  $105a^7$       (ii)  $64pqr$       (iii)  $4x^4y^4$       (iv)  $6abc$
5. (i)  $x^2y^2z^2$       (ii)  $-a^6$       (iii)  $1024y^6$       (iv)  $36a^2b^2c^2$       (v)  $-m^3n^2p$

## EXERCISE 9.3

1. (i)  $4pq + 4pr$       (ii)  $a^2b - ab^2$       (iii)  $7a^3b^2 + 7a^2b^3$   
 (iv)  $4a^3 - 36a$       (v) 0
2. (i)  $ab + ac + ad$       (ii)  $5x^2y + 5xy^2 - 25xy$   
 (iii)  $6p^3 - 7p^2 + 5p$       (iv)  $4p^4q^2 - 4p^2q^4$   
 (v)  $a^2bc + ab^2c + abc^2$
3. (i)  $8a^{50}$       (ii)  $-\frac{3}{5}x^3y^3$       (iii)  $-4p^4q^4$       (iv)  $x^{10}$
4. (a)  $12x^2 - 15x + 3;$       (i) 66      (ii)  $\frac{-3}{2}$   
 (b)  $a^3 + a^2 + a + 5;$       (i) 5      (ii) 8      (iii) 4
5. (a)  $p^2 + q^2 + r^2 - pq - qr - pr$       (b)  $-2x^2 - 2y^2 - 4xy + 2yz + 2zx$   
 (c)  $5l^2 + 25ln$       (d)  $-3a^2 - 2b^2 + 4c^2 - ab + 6bc - 7ac$

## EXERCISE 9.4

- $8x^2 + 14x - 15$
  - $3y^2 - 28y + 32$
  - $6.25l^2 - 0.25m^2$
  - $ax + 5a + 3bx + 15b$
  - $6p^2q^2 + 5pq^3 - 6q^4$
  - $3a^4 + 10a^2b^2 - 8b^4$
- $15 - x - 2x^2$
  - $7x^2 + 48xy - 7y^2$
  - $a^3 + a^2b^2 + ab + b^3$
  - $2p^3 + p^2q - 2pq^2 - q^3$
- $x^3 + 5x^2 - 5x$
  - $a^2b^3 + 3a^2 + 5b^3 + 20$
  - $t^3 - st + s^2t^2 - s^3$
  - $4ac$
  - $3x^2 + 4xy - y^2$
  - $x^3 + y^3$
  - $2.25x^2 - 16y^2$
  - $a^2 + b^2 - c^2 + 2ab$

## EXERCISE 9.5

- $x^2 + 6x + 9$
  - $4y^2 + 20y + 25$
  - $4a^2 - 28a + 49$
  - $9a^2 - 3a + \frac{1}{4}$
  - $1.21m^2 - 0.16$
  - $b^4 - a^4$
  - $36x^2 - 49$
  - $a^2 - 2ac + c^2$
  - $\frac{x^2}{4} + \frac{3xy}{4} + \frac{9y^2}{16}$
  - $49a^2 - 126ab + 81b^2$
- $x^2 + 10x + 21$
  - $16x^2 + 24x + 5$
  - $16x^2 - 24x + 5$
  - $16x^2 + 16x - 5$
  - $4x^2 + 16xy + 15y^2$
  - $4a^4 + 28a^2 + 45$
  - $x^2y^2z^2 - 6xyz + 8$
- $b^2 - 14b + 49$
  - $x^2y^2 + 6xyz + 9z^2$
  - $36x^4 - 60x^2y + 25y^2$
  - $\frac{4}{9}m^2 + 2mn + \frac{9}{4}n^2$
  - $0.16p^2 + 0.04pq + 0.25q^2$
  - $4x^2y^2 + 20xy^2 + 25y^2$
- $a^4 - 2a^2b^2 + b^4$
  - $40x$
  - $98m^2 + 128n^2$
  - $41m^2 + 80mn + 41n^2$
  - $4p^2 - 4q^2$
  - $a^2b^2 + b^2c^2$
  - $m^4 + n^4m^2$
- 5041
  - 9801
  - 10404
  - 996004
  - 27.04
  - 89991
  - 6396
  - 79.21
  - 9.975
- 200
  - 0.08
  - 1800
  - 84
- 10712
  - 26.52
  - 10094
  - 95.06

## EXERCISE 10.1

- $(a) \rightarrow (iii) \rightarrow (iv)$
  - $(b) \rightarrow (i) \rightarrow (v)$
  - $(c) \rightarrow (iv) \rightarrow (ii)$
  - $(d) \rightarrow (v) \rightarrow (iii)$
  - $(e) \rightarrow (ii) \rightarrow (i)$
- $(i) \rightarrow \text{Front}, (ii) \rightarrow \text{Side}, (iii) \rightarrow \text{Top}$
  - $(i) \rightarrow \text{Side}, (ii) \rightarrow \text{Front}, (iii) \rightarrow \text{Top}$
  - $(i) \rightarrow \text{Front}, (ii) \rightarrow \text{Side}, (iii) \rightarrow \text{Top}$
  - $(i) \rightarrow \text{Front}, (ii) \rightarrow \text{Side}, (iii) \rightarrow \text{Top}$
- $(i) \rightarrow \text{Top}, (ii) \rightarrow \text{Front}, (iii) \rightarrow \text{Side}$
  - $(i) \rightarrow \text{Side}, (ii) \rightarrow \text{Front}, (iii) \rightarrow \text{Top}$
  - $(i) \rightarrow \text{Top}, (ii) \rightarrow \text{Side}, (iii) \rightarrow \text{Front}$
  - $(i) \rightarrow \text{Side}, (ii) \rightarrow \text{Front}, (iii) \rightarrow \text{Top}$
  - $(i) \rightarrow \text{Front}, (ii) \rightarrow \text{Top}, (iii) \rightarrow \text{Side}$

**EXERCISE 10.3**

- (i) No (ii) Yes (iii) Yes      2. Possible, only if the number of faces are greater than or equal to 4
- only (ii) and (iv)
- (i) A prism becomes a cylinder as the number of sides of its base becomes larger and larger.  
(ii) A pyramid becomes a cone as the number of sides of its base becomes larger and larger.
- No. It can be a cuboid also      7. Faces  $\rightarrow$  8, Vertices  $\rightarrow$  6, Edges  $\rightarrow$  30
- No

**EXERCISE 11.1**

- (a)      2. Rs 17,875      3. Area = 129.5 m<sup>2</sup>; Perimeter = 48 m
- 45000 tiles      5. (b)

**EXERCISE 11.2**

- 0.88 m<sup>2</sup>      2. 7 cm      3. 660 m<sup>2</sup>      4. 252 m<sup>2</sup>
- 45 cm<sup>2</sup>      6. 24 cm<sup>2</sup>, 6 cm      7. Rs 810      8. 140 m
- 119 m<sup>2</sup>      10. Area using Jyoti's way =  $2 \times \frac{1}{2} \times \frac{15}{2} \times (30 + 15) \text{ m}^2 = 337.5 \text{ m}^2$ ,  
Area using Kavita's way =  $\frac{1}{2} \times 15 \times 15 + 15 \times 15 = 337.5 \text{ m}^2$
- 80 cm<sup>2</sup>, 96 cm<sup>2</sup>, 80 cm<sup>2</sup>, 96 cm<sup>2</sup>

**EXERCISE 11.3**

- (a)      2. 144 m      3. 10 cm      4. 11 m<sup>2</sup>
- 5 cans
- Similarity  $\rightarrow$  Both have same heights. Difference  $\rightarrow$  one is a cylinder, the other is a cube. The cube has larger lateral surface area
- 440 m<sup>2</sup>      8. 322 cm      9. 1980 m<sup>2</sup>      10. 704 cm<sup>2</sup>

**EXERCISE 11.4**

- (a) Volume      (b) Surface area      (c) Volume
- Volume of cylinder B is greater; Surface area of cylinder B is greater.
- 5 cm      4. 450      5. 1 m      6. 49500 L
- (i) 4 times (ii) 8 times      8. 30 hours

**EXERCISE 12.1**

- (i)  $\frac{1}{9}$       (ii)  $\frac{1}{16}$       (iii) 32

2. (i)  $\frac{1}{(-4)^3}$  (ii)  $\frac{1}{2^6}$  (iii)  $(5)^4$  (iv)  $\frac{1}{(3)^2}$  (v)  $\frac{1}{(-14)^3}$
3. (i) 5 (ii)  $\frac{1}{2}$  (iii) 29 (iv) 1 (v)  $\frac{81}{16}$
4. (i) 250 (ii)  $\frac{1}{60}$  5.  $m = 2$  6. (i) -1 (ii)  $\frac{512}{125}$
7. (i)  $\frac{625t^4}{2}$  (ii)  $5^5$

### EXERCISE 12.2

1. (i)  $8.5 \times 10^{-12}$  (ii)  $9.42 \times 10^{-12}$  (iii)  $6.02 \times 10^{15}$   
 (iv)  $8.37 \times 10^{-9}$  (v)  $3.186 \times 10^{10}$
2. (i) 0.00000302 (ii) 45000 (iii) 0.00000003  
 (iv) 1000100000 (v) 5800000000000 (vi) 3614920
3. (i)  $1 \times 10^{-6}$  (ii)  $1.6 \times 10^{-19}$  (iii)  $5 \times 10^{-7}$   
 (iv)  $1.275 \times 10^{-5}$  (v)  $7 \times 10^{-2}$
4.  $1.0008 \times 10^2$

### EXERCISE 13.1

1. No

2.

|                      |   |    |    |    |     |
|----------------------|---|----|----|----|-----|
| Parts of red pigment | 1 | 4  | 7  | 12 | 20  |
| Parts of base        | 8 | 32 | 56 | 96 | 160 |

3. 24 parts

4. 700 bottles

5.  $10^{-4}$  cm; 2 cm

6. 21 m

7. (i)  $2.25 \times 10^7$  crystals(ii)  $5.4 \times 10^6$  crystals

8. 4 cm

9. (i) 6 m

(ii) 8 m 75 cm

10. 168 km

### EXERCISE 13.2

1. (i), (iv), (v) 2.  $4 \rightarrow 25,000$ ;  $5 \rightarrow 20,000$ ;  $8 \rightarrow 12,500$ ;  $10 \rightarrow 10,000$ ;  $20 \rightarrow 5,000$   
 Amount given to a winner is inversely proportional to the number of winners.
3.  $8 \rightarrow 45^\circ$ ,  $10 \rightarrow 36^\circ$ ,  $12 \rightarrow 30^\circ$  (i) Yes (ii)  $24^\circ$  (iii) 9
4. 6 5. 4 6. 3 days 7. 15 boxes
8. 49 machines 9.  $1\frac{1}{2}$  hours 10. (i) 6 days (ii) 6 persons 11. 40 minutes

### EXERCISE 14.1

1. (i) 12 (ii)  $2y$  (iii)  $14pq$  (iv) 1 (v)  $6ab$  (vi)  $4x$   
 (vii) 10 (viii)  $x^2y^2$

2. (i)  $7(x-6)$  (ii)  $6(p-2q)$  (iii)  $7a(a+2)$  (iv)  $4z(-4+5z^2)$   
 (v)  $10lm(2l+3a)$  (vi)  $5xy(x-3y)$  (vii)  $5(2a^2-3b^2+4c^2)$   
 (viii)  $4a(-a+b-c)$  (ix)  $xyz(x+y+z)$  (x)  $xy(ax+by+cz)$
3. (i)  $(x+8)(x+y)$  (ii)  $(3x+1)(5y-2)$  (iii)  $(a+b)(x-y)$   
 (iv)  $(5p+3)(3q+5)$  (v)  $(z-7)(1-xy)$

## EXERCISE 14.2

1. (i)  $(a+4)^2$  (ii)  $(p-5)^2$  (iii)  $(5m+3)^2$  (iv)  $(7y+6z)^2$   
 (v)  $4(x-1)^2$  (vi)  $(11b-4c)^2$  (vii)  $(l-m)^2$  (viii)  $(a^2+b^2)^2$
2. (i)  $(2p-3q)(2p+3q)$  (ii)  $7(3a-4b)(3a+4b)$  (iii)  $(7x-6)(7x+6)$   
 (iv)  $16x^3(x-3)(x+3)$  (v)  $4lm$  (vi)  $(3xy-4)(3xy+4)$   
 (vii)  $(x-y-z)(x-y+z)$  (viii)  $(5a-2b+7c)(5a+2b-7c)$
3. (i)  $x(ax+b)$  (ii)  $7(p^2+3q^2)$  (iii)  $2x(x^2+y^2+z^2)$   
 (iv)  $(m^2+n^2)(a+b)$  (v)  $(l+1)(m+1)$  (vi)  $(y+9)(y+z)$   
 (vii)  $(5y+2z)(y-4)$  (viii)  $(2a+1)(5b+2)$  (ix)  $(3x-2)(2y-3)$
4. (i)  $(a-b)(a+b)(a^2+b^2)$  (ii)  $(p-3)(p+3)(p^2+9)$   
 (iii)  $(x-y-z)(x+y+z)[x^2+(y+z)^2]$  (iv)  $z(2x-z)(2x^2-2xz+z^2)$   
 (v)  $(a-b)^2(a+b)^2$
5. (i)  $(p+2)(p+4)$  (ii)  $(q-3)(q-7)$  (iii)  $(p+8)(p-2)$

## EXERCISE 14.3

1. (i)  $\frac{x^3}{2}$  (ii)  $-4y$  (iii)  $6pqr$  (iv)  $\frac{2}{3}x^2y$  (v)  $-2a^2b^4$
2. (i)  $\frac{1}{3}(5x-6)$  (ii)  $3y^4-4y^2+5$  (iii)  $2(x+y+z)$   
 (iv)  $\frac{1}{2}(x^2+2x+3)$  (v)  $q^3-p^3$
3. (i)  $2x-5$  (ii)  $5$  (iii)  $6y$  (iv)  $xy$  (v)  $10abc$
4. (i)  $5(3x+5)$  (ii)  $2y(x+5)$  (iii)  $\frac{1}{2}r(p+q)$  (iv)  $4(y^2+5y+3)$   
 (v)  $(x+2)(x+3)$
5. (i)  $y+2$  (ii)  $m-16$  (iii)  $5(p-4)$  (iv)  $2z(z-2)$  (v)  $\frac{5}{2}q(p-q)$   
 (vi)  $3(3x-4y)$  (vii)  $3y(5y-7)$

## EXERCISE 14.4

1.  $4(x-5) = 4x-20$       2.  $x(3x+2) = 3x^2+2x$       3.  $2x+3y = 2x+3y$   
 4.  $x+2x+3x = 6x$       5.  $5y+2y+y-7y = y$       6.  $3x+2x = 5x$

7.  $(2x)^2 + 4(2x) + 7 = 4x^2 + 8x + 7$
8.  $(2x)^2 + 5x = 4x^2 + 5x$
9.  $(3x + 2)^2 = 9x^2 + 12x + 4$
10. (a)  $(-3)^2 + 5(-3) + 4 = 9 - 15 + 4 = -2$       (b)  $(-3)^2 - 5(-3) + 4 = 9 + 15 + 4 = 28$   
 (c)  $(-3)^2 + 5(-3) = 9 - 15 = -6$
11.  $(y - 3)^2 = y^2 - 6y + 9$       12.  $(z + 5)^2 = z^2 + 10z + 25$
13.  $(2a + 3b)(a - b) = 2a^2 + ab - 3b^2$
14.  $(a + 4)(a + 2) = a^2 + 6a + 8$
15.  $(a - 4)(a - 2) = a^2 - 6a + 8$
16.  $\frac{3x^2}{3x^2} = 1$
17.  $\frac{3x^2 + 1}{3x^2} = \frac{3x^2}{3x^2} + \frac{1}{3x^2} = 1 + \frac{1}{3x^2}$
18.  $\frac{3x}{3x + 2} = \frac{3x}{3x + 2}$
19.  $\frac{3}{4x + 3} = \frac{3}{4x + 3}$       20.  $\frac{4x + 5}{4x} = \frac{4x}{4x} + \frac{5}{4x} = 1 + \frac{5}{4x}$
21.  $\frac{7x + 5}{5} = \frac{7x}{5} + \frac{5}{5} = \frac{7x}{5} + 1$

### EXERCISE 15.1

1. (a)  $36.5^\circ\text{C}$       (b) 12 noon      (c) 1 p.m., 2 p.m.  
 (d)  $36.5^\circ\text{C}$ ; The point between 1 p.m. and 2 p.m. on the  $x$ -axis is equidistant from the two points showing 1 p.m. and 2 p.m., so it will represent 1.30 p.m. Similarly, the point on the  $y$ -axis, between  $36^\circ\text{C}$  and  $37^\circ\text{C}$  will represent  $36.5^\circ\text{C}$ .  
 (e) 9 a.m. to 10 a.m., 10 a.m. to 11 a.m., 2 p.m. to 3 p.m.
2. (a) (i) Rs 4 crore      (ii) Rs 8 crore  
 (b) (i) Rs 7 crore      (ii) Rs 8.5 crore (approx.)  
 (c) Rs 4 crore      (d) 2005
3. (a) (i) 7 cm      (ii) 9 cm  
 (b) (i) 7 cm      (ii) 10 cm  
 (c) 2 cm      (d) 3 cm      (e) Second week      (f) First week  
 (g) At the end of the 2nd week
4. (a) Tue, Fri, Sun      (b)  $35^\circ\text{C}$       (c)  $15^\circ\text{C}$       (d) Thurs
6. (a) 4 units = 1 hour      (b)  $3\frac{1}{2}$  hours      (c) 22 km  
 (d) Yes; This is indicated by the horizontal part of the graph (10 a.m. - 10.30 a.m.)  
 (e) Between 8 a.m. and 9 a.m.
7. (iii) is not possible

### EXERCISE 15.2

1. Points in (a) and (b) lie on a line; Points in (c) do not lie on a line
2. The line will cut  $x$ -axis at (5, 0) and  $y$ -axis at (0, 5)

3. O(0, 0), A(2, 0), B(2, 3), C(0, 3), P(4, 3), Q(6, 1), R(6, 5), S(4, 7), K(10, 5), L(7, 7), M(10, 8)  
 4. (i) True (ii) False (iii) True

### EXERCISE 15.3

1. (b) (i) 20 km (ii) 7.30 a.m. (c) (i) Yes (ii) Rs 200 (iii) Rs 3500  
 2. (a) Yes (b) No

### EXERCISE 16.1

1.  $A = 7, B = 6$       2.  $A = 5, B = 4, C = 1$       3.  $A = 6$   
 4.  $A = 2, B = 5$       5.  $A = 5, B = 0, C = 1$       6.  $A = 5, B = 0, C = 2$   
 7.  $A = 7, B = 4$       8.  $A = 7, B = 9$       9.  $A = 4, B = 7$   
 10.  $A = 8, B = 1$

### EXERCISE 16.2

1.  $y = 1$       2.  $z = 0$  or  $9$       3.  $z = 0, 3, 6$  or  $9$   
 4.  $0, 3, 6$  or  $9$

## JUST FOR FUN

### 1. More about Pythagorean triplets

We have seen one way of writing pythagorean triplets as  $2m, m^2 - 1, m^2 + 1$ .

A pythagorean triplet  $a, b, c$  means  $a^2 + b^2 = c^2$ . If we use two natural numbers  $m$  and  $n$  ( $m > n$ ), and take  $a = m^2 - n^2, b = 2mn, c = m^2 + n^2$ , then we can see that  $c^2 = a^2 + b^2$ .

Thus for different values of  $m$  and  $n$  with  $m > n$  we can generate natural numbers  $a, b, c$  such that they form Pythagorean triplets.

For example: Take,  $m = 2, n = 1$ .

Then,  $a = m^2 - n^2 = 3, b = 2mn = 4, c = m^2 + n^2 = 5$ , is a Pythagorean triplet. (Check it!)

For,  $m = 3, n = 2$ , we get,

$a = 5, b = 12, c = 13$  which is again a Pythagorean triplet.

Take some more values for  $m$  and  $n$  and generate more such triplets.

2. When water freezes its volume increases by 4%. What volume of water is required to make  $221 \text{ cm}^3$  of ice?  
 3. If price of tea increased by 20%, by what per cent must the consumption be reduced to keep the expense the same?

4. Ceremony Awards began in 1958. There were 28 categories to win an award. In 1993, there were 81 categories.
  - (i) The awards given in 1958 is what per cent of the awards given in 1993?
  - (ii) The awards given in 1993 is what per cent of the awards given in 1958?
5. Out of a swarm of bees, one fifth settled on a blossom of *Kadamba*, one third on a flower of *Silindhiri*, and three times the difference between these two numbers flew to the bloom of *Kutaja*. Only ten bees were then left from the swarm. What was the number of bees in the swarm? (Note, *Kadamba*, *Silindhiri* and *Kutaja* are flowering trees. The problem is from the ancient Indian text on algebra.)
6. In computing the area of a square, Shekhar used the formula for area of a square, while his friend Maroof used the formula for the perimeter of a square. Interestingly their answers were numerically same. Tell me the number of units of the side of the square they worked on.
7. The area of a square is numerically less than six times its side. List some squares in which this happens.
8. Is it possible to have a right circular cylinder to have volume numerically equal to its curved surface area? If yes state when.
9. Leela invited some friends for tea on her birthday. Her mother placed some plates and some *puris* on a table to be served. If Leela places 4 *puris* in each plate 1 plate would be left empty. But if she places 3 *puris* in each plate 1 *puri* would be left. Find the number of plates and number of *puris* on the table.
10. Is there a number which is equal to its cube but not equal to its square? If yes find it.
11. Arrange the numbers from 1 to 20 in a row such that the sum of any two adjacent numbers is a perfect square.

## Answers

2.  $212\frac{1}{2} \text{ cm}^3$
3.  $16\frac{2}{3}\%$
4. (i) 34.5%            (ii) 289%
5. 150
6. 4 units
7. Sides = 1, 2, 3, 4, 5 units
8. Yes, when radius = 2 units
9. Number of *puris* = 16, number of plates = 5
10. - 1
11. One of the ways is, 1, 3, 6, 19, 17, 8 ( $1 + 3 = 4$ ,  $3 + 6 = 9$  etc.). Try some other ways.